





- [Close Window](#)
- [Print This Page](#)
- [Expand All](#) | [Collapse All](#)



Consultation Response Name		Owner	
Name of Responder	Garry Hickton	Address Line 1	
Email		Address Line 2	
		Address Line 3	
		Address Line 4	
Site Name	South West of Draycott	Post Code	
Consultation Site	South West of Draycott	Linked Address	
Comment Type	Object to Proposal	Stand at Hearing	<input checked="" type="checkbox"/>
Base64 Applicant Name	R2FycnkGSGIja3RvbG==	Request to Withdraw	<input type="checkbox"/>



Consultation Details

CDetail-0009554

Consultation Category	Traffic Congestion
Detail	The site will bring in congestion to the village and the access and egress to the houses is in a dangerous place. With an additional 190 vehicles moving on and off the site there is the potential of major accidents

CDetail-0009555

Consultation Category	Road Safety
Detail	Potential pedestrian/ vehicle collision accidents at the bottom of the railway bridge

CDetail-0009556

Consultation Category	Air Quality
Detail	More vehicles will increase pollution to the air from exhaust fumes.

CDetail-0009557

Consultation Category	Wildlife / Biodiversity
Detail	Bats and other wildlife live in the area concerned

CDetail-0009558

Consultation Category	Green Belt
Detail	The site is Greenbelt and should not be built on

CDetail-0009559

Consultation Category **Flooding / Drainage**

Detail **This area floods and water even backs up into gardens and toilets on Lime Grove**

Copyright © 2000-2025 salesforce.com, inc. All rights reserved.